


第6座 Tower 6

5樓平面圖  
5/F Plan



	座 Tower	樓層 Floor	單位 Unit	A複式單位 Duplex A	B複式單位 Duplex B
層與層之間的高度 (毫米) Floor-to-floor height (mm)	第6座 Tower 6	5樓 5/F		3300	3300
樓板厚度 (毫米) Thickness of the floor slabs (mm)				150, 175	150, 175

因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。  
The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.



備註：


- 樓面平面圖所列之尺寸為以毫米標示之建築結構尺寸。
- 每個住宅物業的層與層之間的高度指該樓層之石屎地台面與上一層石屎地台面之高度距離。
- 每個住宅物業的樓板的厚度不包括灰泥。

Notes:

- The dimensions in the floor plans are all structural dimensions in millimetre.
- The floor-to-floor height refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor of each residential property.
- The thickness of the floor slabs excludes plaster of each residential property.

第6座 Tower 6

6樓平面圖  
6/F Plan



座 Tower	樓層 Floor	單位 Unit	A複式單位 Duplex A	B複式單位 Duplex B
第6座 Tower 6	6樓 6/F	層與層之間的高度 (毫米) Floor-to-floor height (mm)	3300	3300
		樓板厚度 (毫米) Thickness of the floor slabs (mm)	150, 200	150, 200

因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。  
The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.



備註：


1. 樓面平面圖所列之尺寸為以毫米標示之建築結構尺寸。
2. 每個住宅物業的層與層之間的高度指該樓層之石屎地台面與上一層石屎地台面之高度距離。
3. 每個住宅物業的樓板的厚度不包括灰泥。

Notes:

1. The dimensions in the floor plans are all structural dimensions in millimetre.
2. The floor-to-floor height refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor of each residential property.
3. The thickness of the floor slabs excludes plaster of each residential property.

第6座 Tower 6

天台平面圖  
Roof Plan



座 Tower	樓層 Floor	單位 Unit	A複式單位 Duplex A	B複式單位 Duplex B
第6座 Tower 6	天台 Roof		不適用 N/A	不適用 N/A
			不適用 N/A	不適用 N/A

因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。  
The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.



備註：

- 樓面平面圖所列之尺寸為以毫米標示之建築結構尺寸。
- 每個住宅物業的層與層之間的高度指該樓層之石屎地台面與上一層石屎地台面之高度距離。
- 每個住宅物業的樓板的厚度不包括灰泥。

Notes:

- The dimensions in the floor plans are all structural dimensions in millimetre.
- The floor-to-floor height refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor of each residential property.
- The thickness of the floor slabs excludes plaster of each residential property.